
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




6939 = 1937

PRICE LIST

OF CHOICE HARDY

New England Grown
Trees, Shrubs and
Evergreens






MALUS THEIFERA
Oriental Tea Crab in its Full Glory

VAN DER VOET NURSERY

158 WILLIAMS STREET
Taunton, Massachusetts



Van der Voet Nursery

Taunton, Mass.

CONDITIONS OF SALE

Prices—This list cancels all previous offers. The prices quoted in this list are net and subject to no discount.

Terms—Usual Terms and Conditions. Orders from unknown parties must be accompanied with full cash or satisfactory references.

Packing at Cost—Free with orders accompanied with cash.

Complaints—Should there be any reason for complaint, we must be notified on receipt of goods, otherwise we cannot entertain it.

Orders—Are accepted on condition that they shall be void should any injury befall the stock from frost, or other causes over which we have no control, and no less than ten plants are sold at wholesale prices.

plants are sold at wholesale prices	•		
	Each	Per 10	Per 100
ABIES concolor	,		
2½ pots 1934, 6 to 8 in	0.15	1.20	10.00
ACER palmatum atropurpureum	ırnleleaf	Japanes	se Manle
These plants are grafted and	_	_	_
an exceptional fine form.			
3 to 3½ ft., B. & B	5.00	40.00	
— —nigrum			
A variety with much darker	leaves.		
3 to 3½ ft., B. & B	5.00	40.00	
saccharum		"Sugai	Maple"
18 to 24 in	0.10	0.75	5.00
3 to 4 ft	0.20	1.50	10.00
AMELANCHIER canadensis		"Tre	e Type"
6 to 12 in., Sdlgs	0.05	0.40	
12 to 18 in	0.10	0.80	
18 to 24 in	0.30	2.50	
3 to 4 ft	1.00	8.00	60.00
ANDROMEDA japonica	"Japan	iese And	
12 to 15 in., B. & B	1.50	12.50	100.00
ARONIA arbutifolia	"]	Red Chol	keberry"
12 to 18 in., trnsplt	1.50	1.00	6.00
18 to 24 in., trnspl		1.50	
3 to 4 ft melanocarpa	1.00 "Bl	5.00 ack Chol	
3 to 4 ft	0.70	5.00	40.00
AZALEA arborescens		"Sweet	Azalea''
12 to 15 in. spread	2.00	15.00	100.00
calendulacea	2.50		Azalea''
2½ to 3 ft., B. & B	3.50	30.00	
kaempferi		"Torch	Azalea"
15 to 18 in., B. & B	2.00	18.00	150.00
18 to 24 in., B. & B.,	2.00	25.00	200.00

heavy clumps

25.00

200.00

3.00

mollis var. Louise Hunnewell	Each	Per 10	Per 100
18 to 24 in., B. & B	3.00	20.00	
mucronulata	"M	ongolian	Azalea"
12 to 18 in., B. & B., ex. hvy	2.00	15.00	100.00
18 to 24 in., B. & B., ex. hvy	2.50	20.00	150.00
poukhanensis		"Korean	Azalea''
8 to 12 in., B. & B., spread	1.50	10.00	80.00
12 to 18 in., B. & B., spread	2.50	20.00	150.00
vaseyi	6	'Tinshell	Azalea"
15 to 18 in., B. & B	2.50	20.00	150.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 3 ft., B. & B	4.00	35.00	300.00
BERBERIS thunbergii	"Ja]	panese B	arberry"
15 to 18 in	0.35		
18 to 24 in	0.45	3.50	30.00
thunbergii atropurpurea			
$2\frac{1}{2}$ in. pots 1934	0.20	1.50	12.00
thunbergii pluriflora erecta			
12 to 15 in	0.60	5.00	45.00
koreana	"I	Korean B	arberry''
$2\frac{1}{2}$ to 3 ft	0.70	6.00	50.00
vernae	""	Vernae B	arberry''
15 to 18 in., heavy	0.60		30.00
18 to 24 in., heavy	0.75	5.00	40.00
BIGONIA Madam Gallen			
3 year grafts	1.00	8.50	60.00
BUDDLEIA alternifolia	"Нож	ly Butter	Archuch"
3 to 4 ft	0.75	6.00	ily busii
	0,,0	0.00	
davidi magnifica 2 to 3 ft	0.50	4.00	
	0.50	4.00	
lle de France	0.00	F 00	
3 year plants	0.60	5.00	
CELASTRUS orbiculatus		ntal Bitte	
18 to 24 in., 3 year	0.30	25.00	20.00
CHAMAECYPARIS plumosa aurea	,		
15 to 18 in., X	0.40	3.50	30.00
18 to 24 in., X	0.50	4.00	35.00
plumosa lutescens	1 00	0 = 0	
15 to 18 in., B. & B., spread 18 to 24 in., B. & B., spread	$\frac{1.00}{1.50}$	$8.50 \\ 12.50$	75.00 100.00
CHIONANTHUS virginica	1.00		Fringe"
18 to 24 in	0.50	4.00	35.00
2 to 3 ft	$0.50 \\ 0.70$	$\frac{4.00}{6.00}$	
3 to 4 ft	1.00		70.00
4 to 5 ft	1.50	10.00	80.00
CLEMATIS Montana rubens			
6 in. pots	2.00	18.00	
paniculata			
5 in. pots, 4 year	0.50	40.00	
CLETHRA alnifolia		"Summe	ersweet"
12 to 18 in	0.30	2.00	15.00
18 to 24 in	0.35	25.00	20.00

Each Per 10 Per 100			_	-
2 to 3 ft.		Each	Per 10	Per 100
2 to 3 ft.	CORNUS amomum		"Silky Do	gwood"
Borida		0.30	2.50	20.00
2 to 3 ft.	3 to 4 ft	0.35	3.00	25.00
3 to 4 ft.	florida	Whiteflov	vering Do	ogwood"
8 to 10 ft.				
Sto 10 ft.		0.35	3.00	25.00
Grafts, one year in beds				
Grafts, one year in beds				
Grafts, one year in beds			_	_
Coratts, one year in beds	, ,			
Rousa chinensis	norial welchin		-	_
CORYLUS avellana atropurpurea 18 to 24 in. 1.50 10.00 10.00 10.00 10.00 10.00 1.50 10.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	Grafts, one year in beds	1.00	8.00	75.00
CORYLUS avellana atropurpurea 18 to 24 in				
18 to 24 in. 1.50 10.00	6 inch pots	2.00	15.00	
18 to 24 in. 1.50 10.00	CORVIJIS avallana atronurnura	n		
COTONEASTER divaricata "Spreading Cotoneaster" 2½ in. pots 1934 0.20 1.50 12.00 6 in. pots 1.00 8.50 — horizontalis "Rock Cotoneaster" 5 in. pots, 9 to 12 in. spread 1.00 7.50 60.00 6 in. pots, 12 to 15 in. spread 1.25 10.00 80.00 apiculata "Pointleaf Cotoneaster" 6 in. pots, 1.50 12.50 100.00 racemiflora soongarcia 6 in. pots, 1.50 12.50 — hupehensis 5 in. pots, 18 to 24 in. high 1.00 8.50 — CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots, 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.05 0.40 2.00 12 to 6 ft. <			10.00	
2½ in. pots 1934 0.20 1.50 12.00 6 in. pots 1.00 8.50 — horizontalis "Rock Cotoneaster" 5 in. pots, 9 to 12 in. spread 1.00 7.50 60.00 6 in. pots, 12 to 15 in. spread 1.25 10.00 80.00 apiculata "Pointleaf Cotoneaster" 6 in. pots, 9 to 12 in. spread 1.50 12.50 100.00 racemiflora soongarcia 6 in. pots, 18 to 24 in. high 1.50 12.50 — hupehensis 5 in. pots, 18 to 24 in. high 1.00 8.50 — CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs 0.05 0.40 2.00 12 to 18 in., Sdlgs 0.05 0.40 2.00 12 to 18 in., Sdlgs 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnol				
CYDONIA alpina superba 1.00 8.50				
horizontalis				12.00
5 in. pots, 9 to 12 in. spread 1.00 7.50 60.00 6 in. pots, 12 to 15 in. spread 1.25 10.00 80.00 apiculata "Pointleaf Cotoneaster" 6 in. pots, 9 to 12 in. spread 1.50 12.50 100.00 racemiflora soongarcia 6 in. pots, 18 to 24 in. high 1.50 12.50 — hupehensis 5 in. pots, 18 to 24 in. high 1.00 8.50 — CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs 0.05 0.40 2.00 12 to 18 in., Sdlgs 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft 0.80 7.00 50.00 4 to 5 ft 1.00 8.00 60.00 5 to 6 ft 1.25 11.00 10.00 6 to 7 ft 2.00 17				4 99
9 to 12 in. spread		"K	ock Coto	neaster
apiculata "Pointleaf Cotoneaster" 6 in. pots, 9 to 12 in. spread	9 to 12 in. spread	1.00	7.50	60.00
6 in. pots, 9 to 12 in. spread	12 to 15 in. spread	1.25	10.00	80.00
6 in. pots, 9 to 12 in. spread	apiculata	"Point	leaf Coto	neaster"
racemiflora soongarcia 6 in. pots, 18 to 24 in. high	6 in nots			
6 in. pots, 18 to 24 in. high. 1.50 12.50 — hupehensis 5 in. pots, 18 to 24 in. high. 1.00 8.50 — CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 1.50 8.50 70.00 <td>9 to 12 in. spread</td> <td>1.50</td> <td>12.50</td> <td>100.00</td>	9 to 12 in. spread	1.50	12.50	100.00
18 to 24 in. high	racemiflora soongarcia			
hupehensis 5 in. pots, 18 to 24 in. high. 1.00 8.50 — CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 coccinioides 4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00<			40.00	
5 in. pots, 18 to 24 in. high 1.00 8.50 — CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 Crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.00 8.50 70.00 5 to 6 ft.	18 to 24 in. high	1.50	12.50	
18 to 24 in. high	hupehensis			
CYDONIA alpina superba "Dwarf Flowering Quince" 6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs 0.05 0.40 2.00 12 to 18 in., Sdlgs 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft 0.80 7.00 50.00 4 to 5 ft 1.00 8.00 60.00 5 to 6 ft 1.25 11.00 100.00 6 to 7 ft 2.00 17.50 150.00 7 to 8 ft 2.50 22.50 200.00 coccinioides 4 to 5 ft 1.75 15.00 100.00 6 to 7 ft 2.00 17.50 150.00		1 00	0 50	
6 in. pots 1.00 7.50 60.00 3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 coccinioides 4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00	•			
3 year, field grown 0.80 6.00 50.00 japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 coccinioides 4 to 5 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00			_	_
japonica "Hybrids Mixed" 6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 2.50 22.50 200.00 coccinioides 4 to 5 ft. 1.75 15.00 100.00 5 to 6 ft. 1.75 15.00 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.00 8.50 70.00				
6 to 12 in., Sdlgs. 0.05 0.40 2.00 12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00		0.00		•
12 to 18 in., Sdlgs. 0.08 0.50 3.00 CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 2.50 22.50 200.00 coccinioides 4 to 5 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00	· · · · · · · · · · · · · · · · · · ·	0.05	-	
CRATAEGUS arnoldiana "Arnold Hawthorn" 3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 2.50 22.50 200.00 coccinioides 4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
3 to 4 ft. 0.80 7.00 50.00 4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 2.50 22.50 200.00 coccinioides 4 to 5 ft. 1.75 15.00 100.00 5 to 6 ft. 1.75 15.00 100.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
4 to 5 ft. 1.00 8.00 60.00 5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 2.50 22.50 200.00 coccinioides 4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
5 to 6 ft. 1.25 11.00 100.00 6 to 7 ft. 2.00 17.50 150.00 7 to 8 ft. 2.50 22.50 200.00 coccinioides 4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
7 to 8 ft. 2.50 22.50 200.00 coccinioides 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
coccinioides 4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
4 to 5 ft. 1.50 12.00 50.00 5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00	7 to 8 ft	2.50	22.50	200.00
5 to 6 ft. 1.75 15.00 100.00 6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00	coccinioides			
6 to 7 ft. 2.00 17.50 150.00 crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
crusgalli "Cockspur Thorn" 3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00				
3 to 4 ft. 0.75 6.00 50.00 4 to 5 ft. 1.00 8.50 70.00 5 to 6 ft. 1.50 12.50 100.00	0 to 7 It	2.00	17.50	150.00
4 to 5 ft	crusgalli	6	-	
5 to 6 ft 1.50 12.50 100.00				

mollis		Per 10 owny Ha	
3 to 4 ft	0.80	7.00	50.00
4 to 5 ft	$\frac{1.00}{1.25}$	$8.00 \\ 11.00$	
5 to 6 ft 6 to 7 ft	$\frac{1.25}{2.00}$	17.50	150.00
7 to 8 ft	2.50	22.50	200.00
nitida 12 to 18 in., X	0.15	1.00	8.00
18 to 24 in., X	0.25	2.00	15.00
2 to 3 ft., X	0.50	4.00	30.00
oxycantha		glish Hav	
4 to 5 ft	$\begin{array}{c} 0.70 \\ 1.50 \end{array}$	$6.00 \\ 12.00$	100.00
oxycantha splendens "Paul	l's Double	e Scarlet	Thorn"
18 to 24 in	0.75	6.00	50.00
pruinosa	0.50	F 00	40.00
3 to 4 ft	$\begin{array}{c} 0.70 \\ 0.75 \end{array}$	$\frac{5.00}{6.00}$	$\frac{40.00}{50.00}$
prunifolia			
3 to 4 ft	0.75	6.00	50.00
4 to 5 ft	0.30	7.50	60.00
5 to 6 ft 6 to 7 ft	$\begin{array}{c} 1.50 \\ 2.50 \end{array}$	$11.00 \\ 22.50$	$100.00 \\ 200.00$
punctata		"Dotted	Thorn"
3 to 4 ft	0.80	7.00	50.00
4 to 5 ft 5 to 6 ft	$\frac{1.25}{1.50}$	$10.00 \\ 12.50$	$80.00 \\ 100.00$
6 to 7 ft	2.00	17.50	150.00
8 to 10 ft	2.50	22.50	
succulenta	. ==	2.00	40.00
3 to 4 ft	$\begin{array}{c} 0.75 \\ 1.00 \end{array}$	$\begin{array}{c} 6.00 \\ 7.50 \end{array}$	$50.00 \\ 60.00$
5 to 6 ft	1.50	12.50	
EUONYMUS alatus	"Wir	nged Euo	_
18 to 24 in	$0.40 \\ 0.50$	$\frac{3.00}{4.00}$	$25.00 \\ 30.00$
alatus compacta	0.00	4.00	30.00
15 to 18 in	0.60	5.00	40.00
ERICA darleyensis			
5 in. pots	1.50	12.50	100.00
EXOCHORDA giraldivar Wilsoni			
2 to 3 ft	1.50	12.50	
3 to 4 ft	2.00	, 15.00	
FONTANESIA phillyrcoides		"Syrian	Privet"
2 to 3 ft	1.00	8.50	
FORSYTHIA int. primulina			
18 to 24 in	$\begin{array}{c} 0.15 \\ 0.25 \end{array}$	$\frac{1.25}{2.00}$	$10.00 \\ 15.00$
3 to 4 ft	$0.25 \\ 0.40$	$\frac{2.00}{3.50}$	30.00
int. spectabilis			
2 to 3 ft	0.35		25.00
3 to 4 ft	0.50	4.00	30.00
suspensa fortunei			
3 to 4 ft	0.50	4.00	30.00

VAN DER VOET			
ovata	Each	Per 10	Per 100
12 to 18 in	0.30	2.00	15.00
18 to 24 in	0.35	2.50	20.00
2 to 3 ft	0.50	4.00	
FOTHERGILLA major			
12 to 18 in	1.00	8.50	75.00
18 to 24 in	1.25	11.00	100.00
2 to 3 ft	1.75	$15.00 \\ 20.00$	125.00
3 to 4 ft	2.50		150.00 lverbell''
	0.50	3.50	IVCIDCII
2 to 3 ft	0.60	5.00	
HAMAMELIS virginiana			h-hazel"
3 to 4 ft	0.75	6.00	50.00
4 to 5 ft	1.00	7.50	
vernalis			h-hazel"
2 to 3 ft	0.80	6.00	50.00
3 to 4 ft	1.25		
4 to 5 ft	1.75	15.00	100.00
mollis			
2 to 3 ft	3.00	20.00	
ILEX convexa (bullata)			
15 to 18 in. spread	2.50	20.00	150.00
18 to 24 in. spread	3.00	25.00	200.00
JUNIPERUS chinensis pfitzerian	ıa		
6 to 8 in., X	0.20	1.50	10.00
8 to 12 in., X	0.30	2.50	20.00
12 to 18 in., XX	0.50	$\frac{4.00}{6.00}$	25.00
18 to 24 in., XX	$\begin{array}{c} 0.75 \\ 2.50 \end{array}$	$\frac{6.00}{20.00}$	$50.00 \\ 150.00$
2 to 3 ft., XXX 3 to 4 ft., XXX	$\frac{2.50}{3.50}$	30.00	250.00
chinensis sargenti			
6 to 8 in.,X	0.30	2.50	20.00
8 to 10 in., X	0.50	3.50	
depressa plumosa	"A	ndorra a	Juniper"
8 to 10 in., 2½ in. pots 1934	0.25	2.00	15.00
squamata meyeri			
8 to 12 in., XX	0.60	5.00	40.00
12 to 18 in., XXX	1.50	12.50	100.00
18 to 24 in., XXX	2.50	20.00	150.00
virginiana Kosteriana			
10 to 12 in., X	0.50	4.00	35.00
24 to 30 in., XXX	5.00	40.00	
KERRIA japonica, fl. pl.			
12 to 18 in.,	0.10	2.00	
2 year bedded plants 18 to 24 in.,	0.40	3.00	20.00
3 to 6 branches	0.50	4.00	25.00
18 to 24 in., clumps, 6 to 12 branches	0.80	6.00	50.00
KOLKWITZIA amabilis			
6 to 12 in., X	0.15	1.25	10.00
2 to 3 ft	0.80	6.00	50.00
3 to 4 ft	1.00	7.50	60.00
LEUCOTHOE catesbaei			
12 to 15 in	0.80	6.50	50.00
15 to 18 in	1.25	10.00	70.00

VAN DER VOET N			
LIGUSTRUM ibolium	Each	Per 10	Per 100
18 to 24 in	0.20	1.50	10.00
ovalifolium 18 to 24 in	0.12	1.00	8.00
LONICERA bella 2 to 3 ft	0.35	3.00	25.00
syringantha Wolfi	0.00	7 .00	
2 to 3 ftsachalinensis	0.80	7.00	
18 to 24 in	0.50	4.00	30.00
MAGNOLIA lilliflora nigra 2 to 2½ ft	2.50	15.00	
soulangeana lennei			
8 to 12 in., trsplt in beds 12 to 18 in., trsplt in beds	$\frac{1.50}{2.50}$	$12.50 \\ 20.00$	100.00 150.00
stellata 12 to 18 in., trsplt in beds	2.00	17.50	150.00
MALUS arnoldiana			
3 to 4 ft., cut back 1935 & trspl	0.60	5.00	40.00
4 to 6 ft., cut back 1935 & trspl	0.75	6.00	50.00
6 to 8 ft., cut back 1935 & trspl	2.00	15.00	125.00
atrosanguinea			
6 to 8 ftbaccata	2.00	15.00	
6 to 8 ft	2.00	15.00	
coronaria	"W	Vild Swe	et Crab"
4 to 5 ft 5 to 6 ft	$\frac{1.00}{1.50}$	$8.00 \\ 12.00$	70.00 100.00
5 to 6 ft	1.50	12.00	100.00
6 to 7 ft	$\frac{2.00}{2.50}$	$15.00 \\ 20.00$	$125.00 \\ 150.00$
8 to 10 ft	3.00	25.00	200.00
floribunda purpurea			
5 to 6 ft	$\frac{1.25}{2.00}$	$10.00 \\ 17.50$	75.00 100.00
floribunda purpurea eleyii 7 to 8 ft	2.50	20.00	
prunifolia rinki 8 to 10 ft	2.50	20.00	175.00
sargenti 3 to 4 ft	1.50	10.00	75.00
sieboldi calocarpa 6 to 8 ft	2.50	20.00	150.00
PACHYSANDRA terminalis 1934 pot grown	0.15	1.25	10.00
	•		
PHELLODENDRON amurense 5 to 6 ft	3.00	20.00	

		Per 10	Per 100
PHILADELPHUS virginalis Arg	gentine 0.30	2.50	20.00
18 to 24 in	0.50	2.30	20.00
virginalis Glacier 18 to 24 in	0.30	2.50	20.00
PHYSOCARPUS missouriensis		"Ni	inebark"
It is much better than Physo 3 to 4 ft			30.00
parviflorus	"I)warf Wi	nebark"
18 to 24 in	$0.40 \\ 0.50$	$\frac{3.50}{4.00}$	
PICEA asperata	6	'Chinese	Spruce"
12 to 15 in., XXX, B. & B	1.00	8.00	75.00
excelsa clanbrasiliana 18 to 24 in. spread	8.00	60.00	
excelsa maxwelli			
15 to 18 in. spread	5.00	40.00	
excelsa remontii			
18 to 24 in. spread	8.00	60.00	
glauca conica	"Dwarf	Alberta	Spruce"
12 to 15 in	$\frac{3.00}{4.00}$	$25.00 \\ 30.00$	
15 to 18 in			~ ~ ;;
pungens moerheim 4 to 5 ft., XXX		eim Blue 100.00	Spruce"
PINUS resinosa			
2 to 3 ft., XXX	1.50	12.00	100.00
sylvestris waterei		•	"Dwarf"
15 to 18 in., XXX	4.50	40.00	
POPULUS nigra italica	"L	ombardy	Poplar"
6 to 8 ft	0.80	6.00	50.00
8 to 10 ft	1.00	7.50	60.00
POTENTILLA purdomi (New) 18 to 24 in	1.50	12.50	
PRUNUS glandulosa	"Fle	wering A	Almond"
18 to 24 in		5.00	
maritima		"Beac	h Plum"
18 to 24 in	0.50	4.00	30.00
2 to 3 ft	0.70	5.00	40.00
subhirtella		_	Cherry"
3 to 4 ft	2.50	20.00	
tomentosa		Nanking	
8 to 12 in., Sdlgs 12 to 18 in., Sdlgs		$0.50 \\ 0.80$	
PYRACANTHA coccinea lalandi 18 to 24 in., B. & B	2.50	20.00	
	2.00	20.00	
QUERCUS coccinea 3 to 4 in	0.75	6.00	50.00
6 to 8 in	2.50	22.00	200.00
8 to 10 in	$\frac{3.50}{0.07}$	$\frac{30.00}{0.60}$	250.00 5.00
1 year burgs	0.07	0.00	5.00

8 VAN DER VOET	NURSE		
	Each	Per 10	Per 100
rubra		"R	led Oak"
3 to 4 ft	0.70	5.00	40.00
4 to 6 ft	1.20	10.00	
6 to 8 ft 8 to 10 ft	$\frac{2.00}{3.00}$	$18.00 \\ 25.00$	
		20.00	200.00
RHODODENDRON carolinanum 4 to 6 in. transplants	0.10	0.75	5.00
6 to 8 in. transplants	0.15	1.20	10.00
_			
RHUS canadensis (aromatica)	0.65	5.00	40.00
3 to 4 ft	0.05	5.00	40.00
ROSA Dr. van Fleet (climbing)			
2 to 3 ft	0.50	4.50	40.00
ecae			
6 in. pots	1.50	12.50	10.00
18 to 24 in	1.20	10.00	70.00
harisonii			
2 to 3 ft	1.00	7.50	
hugonis			
6 in. pots	1.00	8.00	
	1.00	0.00	
Paul's scarlet climber	0.60	4 50	40.00
.2 to 3 ft	0.60	4.50	40.00
spinosissima altaica			
18 to 24 in	0.75	6.00	
spinosissima hispida			
3 to 4 ft	1.50	1.00	
spinosissima (altaica & hugon	is)		
Superior to altaica. 2 to 3 ft	2.00	4 50	
	2.00	1.50	
SALIX vitellina pendula		Weeping	Willow"
4 to 5 ft	1.50	10.00	
SPIRAEA trichocarpa		"Korean	Spiraea''
3 to 4 ft	0.50	3.50	20.00
vanhouttei			
12 to 18 in		1.50	
3 to 4 ft	0.40	3.00	25.00
SYRINGA japonica	"Jap	anese Tre	ee Lilac"
3 to 4 ft		5.00	
4 to 5 ft 5 to 6 ft	$\frac{0.80}{1.00}$	$7.00 \\ 8.00$	
reflexa	1.00	0.00	,0.00
2 to 3 ft	1.00	7.50	
	1.00	1.50	- Children in the Children in
wolfi true	1.00		
2 to 3 ft	1.00	7.50	
wolfii hirtula			
2 to 3 ft	1.00	7.50	-
Lucie Baltet, French Hybrid			
18 to 24 in	0.85	7.00	50.00
TAXUS baccata repandens	"Spread	ing Engli	sh Yew"

	Each	Per 10	Per 100
cuspidata	'Spreading	Japanes	se Yew"
12 to 15 in., B. & B	1.25	10.00	75.00
15 to 18 in., B. & B	1.50	12.50	100.00
18 to 24 in., B. & B	2.00	17.50	150.00
2 to 2½ ft., B. & B	$\bar{3.00}$	25.00	
cuspidata capitata	"Upright	Japanes	se Yew"
6 to 8 in., Sdlgs., X	0.07	0.05	4.00
15 to 18 in., XX	0.35	3.00	25.00
18 to 24 in., XX	0.40	3.50	
24 to 30 in., XX	0.50	4.00	35.00
cuspidata nana (brevifolia)			
6 to 8 in., XX	0.50	3.40	30.00
8 to 12 in., XX	1.00	0.60	50.00
media hatfieldi			
6 to 8 in., XXX	0.40	3.50	30.00
12 to 15 in., XXX, B. & B	1.25	10.00	80.00
media hicksi			
6 to 8 in., trans	0.30	2.50	20.00
8 to 12 in. trans	0.50	3.00	25.00
12 to 18 in., XX, cut back very bushy	0.70	5.00	40.00
18 to 24 in., XX, cut back very bushy	0.80	6.00	50.00
18 to 24 in., XXX,			
extra bushy, B. & B 24 to 30 in., XXX,	3.00	25.00	200.00
extra bushy, B. & B	4.00	35.00	300.00
media hunnewelliana			
8 to 12 in., XXX, B. & B	1.00	8.50	60.00
12 to 15 in., XXX, B. & B	2.00	18.00	150.00
15 to 18 in., XXX, B. & B	3.00	2.50	200.00
THUJA occidentalis			
18 to 24 in., B. & B	0.75	6.00	50.00
2 to 3 ft., B. & B	1.00	8.00	60.00
occidentalis elegantissima			
2 to 2½ ft., B. & B	1.20	10.00	70.00
2½ to 3 ft., B. & Boccidentalis Little Gem	1.50	12.50	100.00
12 to 15 in., B. & B	2.50	20.00	
15 to 18 in., B. & B	$\frac{2.90}{3.00}$	25.00	
occidentalis pyramidalis			
2 to 3 ft., B. & B	1.50	12.50	100.00
3 to 4 ft., B. & B	$\frac{1.50}{2.50}$	20.00	150.00
occidentalis woodwardi			
Good, bushy plant. 8 to 12 in., XX	0.20	3.50	30.00
·	0.2 0	0.00	90.00
FILIA platyphyllos	0.00	7.00	F 0.00
3 to 4 ft	0.80	7.00	50.00
TSUGA canadensis			
18 to 24 in., XXX, B. & B	1.00	8.00	70.00
2 to 3 ft., XXX, B. & B	$\frac{1.50}{2.50}$	12.50	100.00
3 to 4 ft., XXX, B. & B 4 to 5 ft., XXX, B. & B	$\frac{3.50}{5.00}$	30.00 40.00	250.00
	5.00	40.00	350.00
caroliniana			
18 to 24 in., XX, B. & B	0.70	6.00	50.00
24 to 30 in., XX, B. & B	0.80	7.50	60.00

TO VIII DEIL VOEL			
diversifolia	Each	Per 10	Per 100
6 to 8 in., XX	0.40	3.50	30.00
8 to 10 in., XX	0.60	5.00	40.00
TRIPTEREGIUM regeli	0.70	6.00	50.00
18 to 24 in	0.70	6.00	50.00
24 to 30 in	1.00	0.80	70.00
Sdlgs. 1935	0.15	1.00	12.50
VIBURNUM americanum	0.50	4.00	20.00
3 to 4 ft	$\begin{array}{c} 0.50 \\ 0.60 \end{array}$	$\frac{4.00}{5.00}$	$30.00 \\ 40.00$
4 to 9 It	0.00	5.00	40.00
carlesi			
12 to 18 in., B. & B.,	1.00	9.00	70.00
own roots, heavy 18 to 24 in., B. & B.,	1.00	8.00	70.00
own roots, heavy	1.50	12.50	100.00
cassinoides			
2 to 3 ft	0.60	5.00	40.00
3 to 4 ft	0.75	6.00	50.00
dentatum	0.50	4.00	20.00
3 to 4 ft	$\begin{array}{c} 0.50 \\ 0.60 \end{array}$	$\frac{4.00}{5.00}$	$30.00 \\ 35.00$
4 10 0 10	0.00	0.00	30.00
dilatatum			
18 to 24 in., transplant	0.00	1 50	10.00
Sdlgs 2 to 3 ft., heavy	$\begin{array}{c} 0.20 \\ 1.50 \end{array}$	$1.50 \\ 12.00$	10.00
2 to 5 ft., neavy	1.00	12.00	
lentago			
18 to 24 in	0.30	2.50	20.00
2 to 3 ft	0.40	3.00	25.00
molle			
2 to 3 ft	0.40	3.00	25.00
3 to 4 ft	0.50	3.50	30.00
4 to 5 ft	0.60	5.00	40.00
opulus			
18 to 24 in	0.25	2.00	15.00
2 to 3 ft	0.35	2.50	20.00
pubescens			
3 to 4 ft	0.50	3.50	30.00
sargenti			
18 to 24 in., trsplt	0.30	2.50	20.00
4 to 5 ft	$0.30 \\ 0.90$	$\frac{2.30}{7.00}$	50.00
sargenti xanthocarpa Yellow fruited sargenti.			
2 to 3 ft	0.75	6.00	50.00
	0.10	3.00	
theiferum			
18 to 24 in., transplant	0 =0	4.00	0.0
Sdlgs	0.50	4.00	30.00
10 to 24 III., AA	0.70	6.00	50.00
VITEX agnus macrophylla			
18 to 24 in	0.50	4.00	

PERENNIALS

		D	D 400
Aconitum	Three	Per 10	Per 100
fischeri var wilsoni	1.05	3.00	25.00
	_,,	3,00	
Ajuga brockbanki	0.75	2.00	15.00
reptans alba	0.60	$\frac{2.00}{1.50}$	12.00
Arabis			
albida, fl. pl	1.05	2.50	20.00
Armeria			
cephalotes rubra	0.75	2.00	15.00
cephalotes Bee''s Ruby	1.05	3.00	24.00
Asclepia			
tuberosa	0.75	2.00	15.00
Aster			
alpinus Goliath	0.75	2.00	15.00
hybridus luteus	1.05	3.00	20.00
mauve cushion	$0.90 \\ 0.90$	$\frac{2.00}{2.00}$	15.00
Barr's pinkptarmicoides	$0.90 \\ 0.60$	$\frac{2.00}{1.50}$	$15.00 \\ 10.00$
Queen Mary	0.60	1.50	10.00
Blue Gem	0.60	1.50	10.00
Mount Everest	2.50	7.00	
Red Rover	1.50	5.00	
Countess of Dudley, "Dwarf" Lady Henry Maddocks,	1.20	3.00	
"Dwarf"	1.20	3.00	
Snowsprite, "Dwarf" Victor, "Dwarf"	$\frac{1.20}{1.20}$	$\frac{3.00}{3.00}$	
	1.20	3.00	
Astilbe			
Margaret Van Rechteren	1.20	3.00	25.00
Cimicifuga			
foetida simplex	3.00	7.50	
Dicentra			
spectabilis	0.90	2.50	20.00
Euphorbia			
corollata	0.60	1.50	10.00
Filipendula			
hexapetala	0.75	2.00	15.00
hexapetala, fl. pl	1.00	2.00	
Geum			
Fire opal	2.10	6.00	50.00
Princess Juliana	$\frac{2.10}{2.10}$	6.00	50.00
Helenium			
autumnale Moerheim Beauty	1.50	3.50	
autumnale pumilum magnifi-	1.00	0.00	
cum	0.90	2.50	
Heuchera			
brizoides	0.90	2.50	18.00
Iberis			
sempervirens snowflake	1.00	2.50	20.00
	1.00	2.00	20.00
Lytrum	0.00	1 50	10.00
salicaria roseum	0.60	1.50	12.00

12 VAN DER VOET I	URSEI	ΧΥ 	
Monarda didyma	Three	Per 10	Per 100
Mrs. Perry	1.20	3.00	25.00
Nepeta souv. d'Andre Chaudron	1.05	2.50	20.00
Oenothera fruticosa youngi	0.60	1.50	10.00
Pachysandra terminalis (2 ½ in. pot 1934)	0.45	1.20	10.00
Penstemon barbatus	0.60	1.50	12.00
Phlox paniculata			
Albert Leo Schlageter	1.05	3.00	25.00
Commander-in-Chief	1.00	2.50	20.00
E. T. Farrington	1.00	2.50	20.00
Enchantress	1.00	2.50	20.00
Jules Sundeau	1.00	2.50	20.00
Maid Marian	1.00	2.50	20.00
Salmon Glow Rokoko	$\frac{1.00}{1.00}$	$\frac{3.00}{3.00}$	25.00 25.00
divaricata	0.70	$\frac{3.00}{2.00}$	$\frac{25.00}{15.00}$
ovata caroliniana	0.70	2.00	15.00
Miss Lingard	0.70	$\frac{2.00}{2.00}$	15.00
subulata, Blue Hill	0.70	2.00	15.00
subulata, Nelsoni	0.70	2.00	15.00
Pulmonaria			
angustifolia azurea	0.90	2.50	20.00
saccharata	0.90	2.50	20.00
Satureia			
Montana	0.90	2.50	20.00
	0.00	2.00	20.00
Saxifraga	0.00		
macnabiana	0.90	2.50	20.00
Sedum			
sieboldi	0.90	2.50	20.00
spectabile	0.75	2.00	15.00
spectabile brilliant	0.75	2.00	15.00
Tradescantia			
virginiana	0.45	1.20	10.00
	0.10	1.20	10.00
Veronica			
gentianoides	0.75	2.00	15.00
incanalongifolia subsessilis	0.75	2.00	15.00
longifolia subsessilis, "Blue Jay"	1.05	3.00	25.00
Dido day	1.00	0.00	20.00



